


3A Series Air valve



■ Symbol



■ Ordering code

3A	1	10	—	06	—	NO	—	P
3A	2	10	—	08	—	NO	—	P
3A	3	10	—	10	—	NO	—	P

Code
1: 100 Series
2: 200 Series
3: 300 Series

Port size
M5: M5
06: 1/8"
08: 1/4"
10: 3/8"

Thread type
P: PT
T: NPT
G: G

Model


3A: Air Valve (3/2 way)

Valve type	
10: Single air control	
20: Double air control	


Acting type
NC: Normally closed
NO: Normally opened

▣ Dimensioni

3A110




3A120




■ Dimensions

3A210




3A220




■ Dimensions

3A310



3A320






CE ISO9001




4A Series Air valve



Symbol



Dimensions



Ordering code

4A	1	10	—	06	—	P
4A	2	10	—	08	—	P
4A	3	10	—	10	—	P
4A	3	10	—	15	—	P




Code	Port size	Thread type
1: 100 Series	M5: M5	P: PT
2: 200 Series	06: 1/8"	T: NPT
3: 300 Series	08: 1/4"	G: G
4: 400 Series	10: 3/8"	
	15: 1/2"	

Model
3A: Air Valve (3/2 way)

Valve type

10: Single air control 5/2 way
20: Double air control 5/2 way
30C: Double air control 5/3 way closed center
30E: Double air control 5/3 way exhaust center
30P: Double air control 5/3 way pressure center

Dimensions






KYPC

CE ISO9001

4A Series Air valve


■ Dimensions

4A310




Model/Item	A	B	C	D	E
4A310-08	1/4"	1/4"	22	29	0
4A310-10	1/4"	3/8"	24	28	4

4A320



Model/Item	A	B	C	D	E
4A320-08	1/4"	1/4"	22	44.5	0
4A320-10	1/4"	3/8"	24	43.5	4


4A330




Model/Item	A	B	C	D	E
4A330-08	1/4"	1/4"	22	44.5	0
4A330-10	1/4"	3/8"	24	43.5	4

■ Dimensions

4A410



4A420



4A430

